



CorePro LEDspot MV



CorePro LEDspot 4-50W GU10 840 36D DIM

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data

General Information	
Cap-Base	GU10 [GU10]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Flux measurement reference	Narrow Cone
Light Technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	36 °
Luminous Flux (Nom)	350 lm
Luminous Intensity (Nom)	700 cd
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	87.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	350 lm
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	4 W

Lamp Current (Nom)	23 mA
Wattage Equivalent	50 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.84
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	70 °C

Controls and Dimming	
Dimmable	Only with specific dimmers

Mechanical and Housing	
Bulb Shape	PAR16 [PAR 2 inch]

Approval and Application	
Energy Efficiency Class	F
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	4 kWh
EPREL Registration Number	391907


CorePro LEDspot MV

Product Data

Full product code	871951435885000
Order product name	CorePro LEDspot 4-50W GU10 840 36D DIM
EAN/UPC - Product	8719514358850
Order code	929002065802
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	10
Material Nr. (12NC)	929002065802
Net Weight (Piece)	0.048 kg

Dimensional drawing




GU10 4-50W 370lm 4000K GU10 D 15khrs


Product

CorePro LEDspot 4-50W GU10 840 36D DIM


Photometric data



LEDspots Corepro SLR 4W PAR16 GU10 840 36D-ADL




LEDspots Corepro SLR 4W PAR16 GU10 840 36D-POC



LEDspots Corepro SLR 4W PAR16 GU10 840 36D-LDD

CorePro LEDspot MV

Lifetime



15K LED

15K LMP

