PHILIPS Lighting



CorePro Plastic LEDcandles & lusters

CorePro LEDcandle ND 5-40W E14 827 B35 FR

The CorePro LEDcandles and lusters are designed for retrofit replacement of incandescent lamps and are particularly attractive for chandeliers. They are compatible with fixtures with an E14 holder for candles and E14 or E27 holders for lusters and are available in multiple color temperatures. LED lamps deliver huge energy savings of up to 80% energy-saving compared with halogen lamps and provide excellent quality of light. By offering a lifetime of 15,000 hours it lowers maintenance costs. The CorePro LED candles and lusters are perfect for your basic lighting needs.

Product data

General Information		
Cap-Base	E14 [E14]	
EU RoHS compliant	Yes	
Nominal Lifetime (Nom)	15000 h	
Switching Cycle	50000X	
Light Technical		
Color Code	827 [CCT of 2700K]	
Luminous Flux (Nom)	470 lm	
Color Designation	Warm White (WW)	
Correlated Color Temperature (Nom)	2700 К	
Luminous Efficacy (rated) (Nom)	94.00 lm/W	
Color Consistency	<6	
Color Rendering Index (Nom)	80	
LLMF At End Of Nominal Lifetime (Nom) 70 %	

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	5 W
Lamp Current (Nom)	44 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.51
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	81 ℃
Controls and Dimming	
Dimmable	No



CorePro Plastic LEDcandles & lusters

Mechanical and Housing		
Bulb Finish	Frosted B35 [B 35mm]	
Bulb Shape		
Approval and Application		
Energy Efficiency Class	F	
Energy Consumption kWh/1000 h	5 kWh	
EPREL Registration Number	453199	
Product Data		
Full product code	871951431250000	

Order product name	CorePro LEDcandle ND 5-40W E14 827 B35 FR		
EAN/UPC - Product	8719514312500		
Order code	929002968402		
Numerator - Quantity Per Pack	1		
Numerator - Packs per outer box	10		
Material Nr. (12NC)	929002968402		
Net Weight (Piece)	0.040 kg		

Dimensional drawing




Product	D	с
CorePro LEDcandle ND 5-40W E14 827 B35 FR	45 mm	87 mm

Candle B35 5-40W 470lm 2700K E14 ND FR

Photometric data

	1 x 9290829484 SW 27086
	1 a 479 in
University 18 belower 18 Other Setting Other Setting Other Setting	




LEDcandle CorePro 5W B35 E14 827-GUL

LEDcandle CorePro 5W B35 E14 827 FR-POC


CorePro Plastic LEDcandles & lusters

Photometric data



LEDcandle CorePro B35 5W E14 827 FR-LDD

Lifetime



15K LED



© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2021, November 12 - data subject to change